EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	487	((max or maximum or highest) with (saturat\$5) with (adjust\$5 or compensat\$5 or correct\$5 or modif\$8)) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:41
S2	54	S1 and ((ratio or proportion\$5 or divid\$5) same (min or minimum or lowest) same (max or maximum or highest) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:42
S3	6	S2 and ((max or maximum or highest) with (saturat\$5) with (adjust\$5 or compensat\$5 or correct\$5 or modif\$8)) same (differ\$7 or subtract\$5 or offset\$5) same (input\$5 or initial\$5 or start\$5 or original\$5 or unadjust\$5) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:54
S4	17662	((saturat\$5) with (adjust\$5 or compensat\$5 or correct\$5 or modif\$8)) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:42
S5	487	S4 and ((max or maximum or highest) with (saturat\$5) with (adjust\$5 or compensat\$5 or correct\$5 or modif\$8)) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:42
S6	54	S5 and ((ratio or proportion\$5 or divid\$5) same (min or minimum or lowest) same (max or maximum or highest) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:42
S7	8446	358/1.9,2.1,3.02,3.06,520,516,518,534.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:52
S8	2983	382/162,167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:53
S9	111	399/39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:53
S10	15	S6 and (S7 or S8 or S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:43

EAST Search History

S11	7	S10 and ((max or maximum or highest) with (saturat\$5) with (adjust\$5 or compensat\$5 or correct\$5 or modif\$8)) same (differ\$7 or subtract\$5 or offset\$5) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:43
S12	65	(meng near3 yao).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:37
S13	5	S4 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:38
S14	3	S13 and ((max or maximum or highest) with (saturat\$5) with (adjust\$5 or compensat\$5 or correct\$5 or modif\$8)) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:40
S15	1276	(((saturat\$5) with (adjust\$5 or compensat\$5 or correct\$5 or modif\$8)) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:42
S16	71	S15 and (((max or maximum or highest) same (saturat\$5) same (adjust\$5 or compensat\$5 or correct\$5 or modif\$8)) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:42
S17	22	S16 and (S7 or S8 or S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:43
S18	, 7	S17 and (((max or maximum or highest) same (saturat\$5) same (adjust\$5 or compensat\$5 or correct\$5 or modif\$8)) same (differ\$7 or subtract\$5 or offset\$5) same (primary or color\$7 or y or m or c or r or g or b or ymc or cmy or (c near3 m near3 y) or rgb or (r near3 g near3 b))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:44

Page 2



□ Search Result - Print Format

< Back to

Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, II CNF = IEE Conference, IEEE STD = IEEE Standard

1. Simplified artificial neural network structure with the current transformer saturation detector provides a goestimate of primary currents

Cummins, J.C.; Yu, D.C.; Kojovic, L.A.; Power Engineering Society Summer Meeting, 2000. IEEE Volume 3, 16-20 July 2000 Page(s):1373 - 1378 vol. 3 **IEEE CNF**

2. Reactive techniques for controlling software speculation

Zilles, C.; Neelakantam, N.; Code Generation and Optimization, 2005. CGO 2005. International Symposium on 20-23 March 2005 Page(s):305 - 316 **IEEE CNF**

The color correction of printer for computer graphics

Eguchi, Y.; Consumer Electronics, IEEE Transactions on Volume 34, Issue 3, Aug 1988 Page(s):523 - 529 **IEEE JNL**

4. An adaptive RTS threshold adjust algorithm based on minimum energy consumption in IEEE 802.11 DCF Shaohu Yan; Yongning Zhuo; Shiqi Wu;

Communication Technology Proceedings, 2003. ICCT 2003. International Conference on Volume 2, 9-11 April 2003 Page(s):1210 - 1214 vol.2

IEEE CNF

5. Rare-earth-doped GaN switchable color electroluminescent devices

Heikenfeld, J.; Steckl, A.J.; Electron Devices, IEEE Transactions on Volume 49, Issue 9, Sept. 2002 Page(s):1545 - 1551 **IEEE JNL**

6. Neural network for current transformer saturation correction

Yu, D.C.; Cummins, J.C.; Wang, Z.; Hong-Jun Yoon; Kojovic, L.A.; Stone, D.; Transmission and Distribution Conference, 1999 IEEE Volume 1, 11-16 April 1999 Page(s):441 - 446 vol.1

IEEE CNF

7. Axial and radial fluorescence of dye-doped polymer fiber

Saito, M.; Kitagawa, K.; Lightwave Technology, Journal of Volume 19, Issue 7, July 2001 Page(s):982 - 987 **IEEE JNL**

8. Correction of current transformer distorted secondary currents due to saturation using artificial neural

Yu, D.C.; Cummins, J.C.; Zhudin Wang; Hong-Jun Yoon; Kojovic, L.A.; Power Delivery, IEEE Transactions on

Volume 16, Issue 2, April 2001 Page(s):189 - 194 IEEE JNL

9. Development of railgun accelerator at ISAS

Yanagisawa, M.; Sato, K.; Yamori, A.; Kawashima, N.; Magnetics, IEEE Transactions on Volume 25, Issue 1, Jan 1989 Page(s):616 - 620 IEEE JNL

10. Analysis of the uniform rate equation model of laser dynamics

Menne, T.;
Quantum Electronics, IEEE Journal of
Volume 2, Issue 2, Feb 1966 Page(s):38 - 44
IEEE JNL

11. Thickness dependence of the magnetoresistance effect in RF sputtered thin permalloy films

Yeh, T.; Sivertsen, J.; Judy, J.; Magnetics, IEEE Transactions on Volume 23, Issue 5, Sep 1987 Page(s):2215 - 2217 IEEE JNL

12. Unmagnetized amorphous ribbon transducers

Overshott, K.; Meydan, T.; Magnetics, IEEE Transactions on Volume 20, Issue 5, Sep 1984 Page(s):948 - 950 IEEE JNL

13. Recall in saturated associative neural networks

Martinez, O.; Harston, C.; Neural Networks, 1989. IJCNN., International Joint Conference on 18-22 June 1989 Page(s):570 vol.2 IEEE CNF

14. Charge and correlated light emission of streamers in insulating oil

Kist, K.; Badent, R.; Brand, M.; Schwab, A.J.; Electrical Insulation and Dielectric Phenomena, 1999 Annual Report Conference on Volume 2, 17-20 Oct. 1999 Page(s):451 - 454 vol.2 IEEE CNF



© Copyright 2007 IEEE -